

Approved For Release 2003/11/06 : CIA-RDP85-00988R000300030007-0
 CONSOLIDATED TABLE OF VEHICULAR ALLOWANCES

ACTIVITY

TYPE OF ACTION

DATE PREPARED

ITEM NO.	Type of Vehicle	Authorized Previous TVA	Changes		Authorized Current TVA
			Increase	Decrease	

MOTOR VEHICLES

1.	Sedan				
2.	Station Wagon				
3.	Truck - 1 Ton or Less - 4 x 2				
4.	Truck - 1 Ton or Less - 4 x 4				
5.	Truck - 1-1/2 Ton to 2-1/2 Ton				
6.	Truck - 3 Ton or Over				
	Other:				
7.	Ambulance				
8.	Bus - 24 or more passengers				
9.	Truck - Special Purpose				
10.	Truck - Tractor				
11.	Trailer - 1-1/2 Ton or Less				
12.	Trailer - 2-1/2 Ton to 10 Ton				
13.	Motorscooter				
	Subtotals				
	Vacant Authorizations				
	Grand Total (CTVA)				

Approval Requested By:

Authorized:

Signature of Authorized Operating
 Official or Designee

Date

Chief, Supply Division, OL

25% STANDARD REDUCTION BLANK
For Offset Printing or Photocopying Work
Finished Size 5 1/2" x 8 1/2"

When using this form on typewriter is clean.
Use only black ribbon, or carbon ribbon if
possible, and signatures, handwriting, or
initials must be done with BLACK INK.

DO NOT TYPE ABOVE THIS LINE

Fed. Std. No. 122T

S3. SELECTION AND REQUIREMENTS OF STANDARD AUTOMOBILES

Table II - Sedans, Class I/B - Subcompact, 4 passenger

Item No.	8	8a	8b
Specification Data	Basic Unit	Alternate	Alternate
Model	2 door	2 door	2 door
Style (4 door optional)	Hatchback	Hatchback	Hatchback
Volume Index, min.	83	83	83
Wheelbase, in. min.	94	94	94
Shoulder room, front seat	49 in.	49 in.	49 in.
Engine type	gas.	gas.	gas.
Engine, cyl/CID	4/95	4/95	4/95
Transmission, manual	X	N/A	N/A
Transmission, automatic (T2)	-	X	X
Brakes, power (PB)	-	-	-
Steering (PS)	-	-	-
Suspension, H.D. (H2)	-	X	X
Tires, type, radial (TS)	-	X	X
Electrical system, H.D.A. (H5)	-	X	X
Cooling system, H.D.A. (H4)	-	X	X
Air conditioning (AC)	-	-	X
Radio, AM (RA)	-	-	-
Body side moldings (BM)	-	X	X
Rear window defroster, elec. (RD)	-	X	-
Color (see S3.3.4)	-	-	-

NOTES: Representative USA Subcompact: Chevrolet-Chevette; Ford-Pinto;
Plymouth-Horizon; AMC-Spirit; VW-Rabbit

Additional systems and equipment, see "Addendum" pages 10 and 11.

Table III - Sedans, Class II - Compact, 5 passenger

Item No.	9	9a	9b
Specification Data	Basic Unit	Alternate	Alternate
Model	4 door	4 door	4 door
Style, Trunk or Hatchback	STD	STD	STD
Volume Index, min.	100	100	100
Wheelbase, in. min.	100	100	100
Shoulder room, front seat	55 in.	55 in.	55 in.
Engine type	gas.	gas.	gas.
Engine, cyl/CID	4/140	4/140	4/140
Transmission, manual	X	N/A	N/A
Transmission, automatic (T2)	-	X	X
Brakes, power (PB)	-	X	X
Steering (PS)	-	-	X
Suspension, H.D. (H2)	-	X	X
Tires, type, radial (TS)	-	X	X
Electrical system, H.D.A. (H5)	-	X	X
Cooling system, H.D.A. (H4)	-	X	X
Air conditioning (AC)	-	-	X
Radio, AM (RA)	-	X	X
Body side moldings (BM)	-	X	X
Rear window defroster, elec. (RD)	-	X	-
Color (see S3.3.4)	-	-	-

NOTES: Representative USA compacts: Chevrolet-Citation; Ford-Fairmont; AMC-Concord
Plymouth Volare, 6 cylinder.

25% STANDARD REDUCTION SHEET
For Offset Printing or Photos of
Finished Size 5" x 10-1/2"

Be sure that type on typewriter is clean.
Use only black ribbon, or carbon ribbon if
necessary. All signatures, handwriting, or
marking must be done with BLACK ink.

Write original on one side of sheet.
Do not use correction fluid or
white-out. Do not use correction
paste or correction tape.

DO NOT TYPE ABOVE THIS LINE

Fed. Std. No. 122T

Table IV - Sedans, Class III - Midsize, 5 passenger

Item No.	10	10a	10b
Specification Data	Basic Unit	Alternate	Alternate
Model	4 door	4 door	4 door
Style, Notchback/trunk	STD	STD	STD
Volume Index, min.	117	117	117
Wheelbase, in. min.	105	105	105
Shoulder room, front seat	55	55	55
Engine type	gas.	gas.	gas.
Engine, cyl/CID	6/200	6/200	6/200
Transmission, manual	X	N/A	N/A
Transmission, automatic (T2)	-	X	X
Brakes, power (PB)	-	X	X
Steering (PS)	-	X	X
Suspension, H.D. (H2)	-	X	X
Tires, type, radial (TS)	-	X	X
Electrical system, H.D.A. (H5)	-	X	X
Cooling system, H.D.A. (H4)	-	X	X
Air conditioning (AC)	-	-	X
Radio, AM (RA)	-	X	X
Body side moldings (BM)	-	X	X
Rear window defroster, elec. (RD)	-	X	-
Color (see S3.3.4)	-	-	-

NOTES: Representative USA Midsize: Chevrolet-Malibu:

Additional systems and equipment, see "Addendum" pages 10 and 11.

Table V - Sedans, Class IV - Large, 6 passenger

Item No.	11	11a	11b
Specification Data	Basic Unit	Alternate	Alternate
Model	4 door	4 door	4 door
Style, Notchback/trunk	STD	STD	STD
Volume Index, min.	129	129	129
Wheelbase, in. min.	114	114	114
Shoulder room, front seat	59 in.	59 in.	59 in.
Engine type	gas.	gas.	gas.
Engine, cyl/CID	6/225	6/225	6/225
Transmission, manual	X	N/A	N/A
Transmission automatic (T2)	-	X	X
Brakes, power (PB)	-	X	X
Steering (PS)	-	X	X
Suspension, H.D. (H2)	-	X	X
Tires, type, radial (TS)	-	X	X
Electrical system, H.D.A. (H5)	-	X	X
Cooling system, H.D.A. (H4)	-	X	X
Air conditioning (AC)	-	-	X
Radio, AM (RA)	-	X	X
Body side moldings (BM)	-	X	X
Rear window defroster, elec. (RD)	-	X	X
Color (see S3.3.4)	-	-	-

NOTES: Representative USA, Large: Chevrolet-Impala; Ford-LTD; Dodge St. Regis*

* Substandard mpg

25% STANDARD REDUCTION SHEET
For Offset Printing on Photostat Paper
Finished Size 8" x 10-1/2"

1. All type on typewriter is clean.
2. Use only black ribbon, or green ribbon if possible. All signatures, handwriting, or markings must be done with BLACK ink.

3. Avoid excessive use of correction fluid.
4. Copy to this sheet must be made with PERMANENT OR SEMI-PERMANENT INK.
5. Grade of paper must be 100% cotton.

DO NOT TYPE ABOVE THIS LINE

Fed. Std. No. 122T

Table X Law Enforcement - 4 Door Automobiles

Item No.	17	17a	18	18a
Specification Data	Class II Compact	Class IV Large	Class II	Class IV
Model	Sedan	Sedan	Wagon	Wagon
Style, rear closure	STD	Notch trunk	Doorgate	
Volume Index, min.	100	129	130	
Wheelbase, in. min.	105	114	105	
Shoulder room, front seat	55	59	55	
Engine Type	gas.	gas.	gas.	
Engine cyl/CID	6/200	6/300	6/200	
Transmission automatic (T2)	X	X	X	
Brakes, power, H.D.A.	X	X	X	
Steering, power (PS)	X	X	X	
Suspension H.D.	X	X	X	
Tires, type radial (TS)	X	X	X	
Wheels, dia. in.	14	15	14	N/A
Rear axle, differential (D3)	-	X	-	
Electrical, battery (H.D.)	75 amp. hr.	80 amp. hr.	80 amp. hr.	
Electrical, alternator, min.	60 amp.	80 amp.	60 amp.	
Cooling system (H.D.A.)	X	X	X	
Body side moldings (BM)	X	X	X	
Bumper guards (BG)	X	X	X	
Air Conditioning (AC)	-	-	-	
Rear defroster (elec) (RD)	X	X	X	
Luggage comp. lamp	X	X	-	
Mirrors, R & H side (MR)	X	X	X	
Seat, splitfront (SF)	X	X	X	
Hood release, inside	X	X	X	
Color, MSCP	-	-	-	

NOTES: Representative USA Law-enforcement automobiles: Compact Sedans, Chevrolet-Malibu; Ford-Fairmont; Plymouth-Volare. Large Sedans, Chevrolet-Impala; Ford-LTD; Dodge St. Regis. Station-Wagons, N/A. Plymouth-Volare. Large Station-Wagons N/A.

25% STANDARD REDUCTION INSET
For Offset Printing or Photostatic Copy
Finished Size 8 1/2" x 10 1/2"

Be sure that type on typewriter is "bold."
Use only black ribbon or carbon ribbon in
typewriter. All characters, handwriting, or
printing must be done with BLACK ink.

Model listed in this table is for information only.
Do not use this table for identification purposes.
Do not use this table for identification purposes.

DO NOT TYPE ABOVE THIS LINE

Fed. Std. No. 122T

Table VII Station Wagon, Class II - Compact, 5 passenger

Item No.	14	14a	14b
Specification Data	Basic Unit	Alternate	Alternate
Model	4 door	4 door	4 door
Style, tail or liftgate	STD	STD	STD
Volume Index, min.	130	130	130
Wheelbase, in. min.	105	105	105
Shoulder room, front seat	55 in.	55 in.	55 in.
Engine type	gas.	gas.	gas.
Engine, cyl/CID	6/200	6/200	6/200
Transmission, manual	X	N/A	N/A
Transmission, automatic (T2)	-	X	X
Brakes, power (PB)	-	X	X
Steering (PS)	-	X	X
Suspension, H.D. (H2)	-	X	X
Tires, type radial (TS)	-	X	X
Electrical system, H.D.A. (H5)	-	X	X
Cooling system, H.D.A. (H4)	-	X	X
Air conditioning (AC)	-	-	X
Radio, AM (RA)	-	X	X
Body side moldings (BM)	-	X	X
Rear window defroster, elec. (RD)	-	X	-
Color (see S3.3.4)	-	-	-

NOTES: Representative USA Compacts: Chevrolet-Malibu; Ford-Fairmont; Plymouth-Volare,* etc.

Additional systems and equipment, see "Addendum" pages 10 and 11.

Table IX - Station Wagon, Class IV - Large, 6-8 passenger

Item No.	16	16a	16b
Specification Data	Basic Unit	Alternate	Alternate
Model	4 door	4 door	4 door
Style, rear closure	Doorgate	Doorgate	Doorgate
Volume Index, min.	160	160	160
Wheelbase, in. min.	114	114	114
Shoulder room, front seat	60	60	60
Engine type	gas.	gas.	gas.
Engine, cyl/CID	8/300	8/300	8/300
Transmission, manual	N/A	N/A	N/A
Transmission, automatic (T2)	X	X	X
Brakes, power (PB)	-	X	X
Steering (PS)	-	X	X
Suspension, H.D. (H2)	-	X	X
Tires, type radial (TS)	-	X	X
Electrical system, H.D.A. (H5)	-	X	X
Cooling system, H.D.A. (H4)	-	X	X
Air conditioning (AC)	-	-	X
Radio, AM (RA)	-	X	X
Body side moldings (BM)	-	X	X
Rear window defroster, elec. (RD)	-	X	X
Color (see S3.3.4)	-	-	-

NOTES: Representative USA Large:* Chevrolet-impala;* Ford-LTD

* Substandard mpg